	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	244	microfluidic and user adj1 interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:27	
2	BRS	L2	244	1 and py<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:27	
3	BRS	L3	244	1 and pd<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:28	

	Error Definition	Errors
1		0
2		0
3		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	0	1 and @pd<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:28	
5	BRS	L5	10	1 and @py<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:31	
6	BRS	L6	5	5 and (handheld or hand adj1 held)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:59	

	Error Definition	Errors
4		0
5		0
6		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	868	microfluidic and valve and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:59	
8	BRS	L9	80	7 and @py<=2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 15:00	
9	BRS	L8	46	7 and @py<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:25	
10	IS&R	L10	1	("6109889").PN.	USPAT	2004/06/12 17:18	

	Error Definition	Errors
7		0
8		0
9		0
10		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	IS&R	L11	1	("5955028").PN.	USPAT	2004/06/12 17:18	

	Error Definition	Errors
11		0